

Maxwell Road
Stevenage
Hertfordshire
SG1 2EW

T: +44(0) 1438 777 700
info@fira.co.uk

www.fira.co.uk

GRATNELLS LIMITED
8 Howard Way
Harlow
Essex
CM20 2SU

Our Ref: TSTAF95343
Date: 15 December 2020
Delivery Date: 08 December 2020
Test Dates: 08 December - 14 December 2020

For the attention of Anthony Byrne

SAMPLE(S) SUBMITTED FOR TEST AND IDENTIFIED BY CUSTOMER AS:

One, Gratnells WorQ DesQ School Table – Sizemark 6

TEST(S) AS REQUESTED BY CUSTOMER:

BS EN 1729-2: 2012 + A1: 2015 Sizemark 6

RESULT:

Pass

Technical report references marked * indicate this report is supplementary to the previous report with the same reference

FIRA International is a UKAS TESTING Laboratory No. 0174

Tests marked "Not UKAS Accredited" in this Report are not included in the UKAS Accreditation Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

This Report relates to the sample(s) submitted for test and no others. Additions, deletions or alterations are not permitted.

Test reports are given to the client in confidence, and may only be reproduced in whole or in part with written permission from FIRA International Limited. Note that the words "**tested by FIRA International**" may be used in subsequent publicity for the product; "approved" must **not** be used.

Tests are carried out on the understanding that neither FIRA International Limited nor its officers can accept any legal responsibility for information or advice given or opinions expressed whether in response to specific enquiries or otherwise. This Report is given subject to the Terms of Business of FIRA International Limited which are available at www.fira.co.uk/images/FIRA-International-Limited-Standard-Terms-of-Business-2018.pdf



TECHNICAL REPORT

DESCRIPTION

Item: Gratnells WorQ DesQ School Table – Sizemark 6

Supplied by: **GRATNELLS LIMITED**

Number of Photos: One to Two

Overall Dimensions: 760mm H x 1200mm W x 600mm D

Qty	Item	Material
1	Top	18mm Thick Wood
4	Legs	25mm Thick Metal
	Joints	Bolted

All dimensions are approximate.

PRECONDITIONING AND MOISTURE CONTENT

FIRA International cannot validate date of manufacture and therefore it is assumed that at least 4 weeks has elapsed between date of manufacture and delivery to FIRA International.

Unless otherwise stated on the first page of this report the sample was stored in indoor ambient conditions for at least the minimum duration as required by this standard prior to test.

Wherever possible timber moisture content is verified prior to test. Where this is not possible the moisture content is assumed to be in the range 8 – 12 %.



TECHNICAL REPORT

BS EN 1729-2: 2012 + A1: 2015 Furniture – Chairs and Table for Educational Institutions – Part 2: Safety Requirements and Test Methods – Clause 4 – Safety Requirements

The tests required were carried out in accordance with the standard. Where applicable details of the loads applied and their positions of application are retained at FIRA International and are available on request. Structural testing machines are set to operate at the tolerances stated in the standard. Uncertainty of Measurement calculations have not been applied. FIRA International Uncertainty of Measurement values are available on request.

Item: Gratnells WorQ DesQ School Table – Sizemark 6

Initial Inspection: No apparent faults

Clause	Test	Result
4	Safety Requirements (Clause Ref: BS EN 1729-2: 2012 + A1: 2015)	
4a	Edges of the seat, back rest and arm rests	N/A
4b	Edges of the handles	N/A
4c	All other edges and corners	Pass
4d	Distance between accessible moving parts operated by powered mechanisms	N/A
4e	No accessible gaps > 8 mm and < 25 mm created during normal movements and actions	Pass
4f	Adjustment controls	N/A
4g	Open ends and feet	Pass
4h	Parts shall not be detachable	Pass
4i	Lubricated parts shall be covered	N/A
4j	Finish of the work surface	Pass
4k	Chairs shall not overturn	N/A
4l	Chairs shall show no structural failure	N/A
4m	Tables shall not overturn (<i>in accordance with BS EN 1730:2012, 7.2</i>)	Pass
4n	Tables shall show no structural failure	Pass

In extreme weather conditions the ambient test temperature and/or humidity may fall outside the requirements of the standard. Such changes have not been shown to affect the validity of the results. Details of the ambient conditions at time of test are available on request.



TECHNICAL REPORT

BS EN 1729-2: 2012 + A1: 2015 Furniture – Chairs and Table for Educational Institutions – Part 2: Safety Requirements and Test Methods – Clause 4 – Safety Requirements

The tests required were carried out in accordance with the standard. Where applicable details of the loads applied and their positions of application are retained at FIRA International and are available on request. Structural testing machines are set to operate at the tolerances stated in the standard. Uncertainty of Measurement calculations have not been applied. FIRA International Uncertainty of Measurement values are available on request.

Item: Gratnells WorQ DesQ School Table – Sizemark 6

Initial Inspection: No apparent faults

Clause	Test	Result
5.2	Stability (Clause Ref: BS EN 1729-2: 2012 + A1: 2015)	
5.2.2	Forward stability.	N/A
5.2.3.1	Sideways stability of chairs without armrests.	N/A
5.2.3.2	Sideways stability of chairs with armrests.	N/A
5.2.4	Rearwards stability.	N/A
5.2.5	Chairs with backrest inclination.	N/A
	Strength and Durability	
5.3.2	Seat static load.	N/A
5.3.2	Back static load.	N/A
5.3.3	Seat durability.	N/A
5.3.3	Back durability.	N/A
5.3.4	Seat front edge durability.	N/A
5.3.5	Sideways static load of chairs.	N/A
5.3.6	Forward static load of chairs.	N/A
5.3.7	Seat impact of chairs.	N/A
5.3.8	Back impact of chairs.	N/A
5.3.9	Static load of foot rail.	N/A
5.3.10	Drop test of chairs.	N/A
5.3.11	Foot rest durability.	N/A
5.3.12	Armrest vertical static load of armrests – Vertical Static.	N/A
5.3.12	Armrest vertical static load of armrests – Overload.	N/A

In extreme weather conditions the ambient test temperature and/or humidity may fall outside the requirements of the standard. Such changes have not been shown to affect the validity of the results. Details of the ambient conditions at time of test are available on request.



TECHNICAL REPORT

BS EN 1729-2: 2012 + A1: 2015 Furniture – Chairs and Table for Educational Institutions – Part 2: Safety Requirements and Test Methods – Clause 4 – Safety Requirements

The tests required were carried out in accordance with the standard. Where applicable details of the loads applied and their positions of application are retained at FIRA International and are available on request. Structural testing machines are set to operate at the tolerances stated in the standard. Uncertainty of Measurement calculations have not been applied. FIRA International Uncertainty of Measurement values are available on request.

Item: Gratnells WorQ DesQ School Table – Sizemark 6

Initial Inspection: No apparent faults

Conditioning: N/R

Clause	Test	Result
6.1	Stability (Clause Ref: BS EN 1729-2: 2012 + A1: 2015)	
6.1.2	Stability of tables, vertical load.	Pass
6.2	Strength and Durability	
6.2.2	Horizontal static load.	Pass
6.2.3	Horizontal durability - longitudinal.	Pass
6.2.3	Horizontal durability - transverse.	Pass [^]
6.2.4	Vertical static load. (tables ≤1000mm)	N/A
6.2.4	Vertical static load. (tables >1000mm)	Pass
6.2.5	Vertical durability.	Pass

*[^]Horizontal Force reduced from 300 Newtons to 150 Newtons to prevent tipping.

In extreme weather conditions the ambient test temperature and/or humidity may fall outside the requirements of the standard. Such changes have not been shown to affect the validity of the results. Details of the ambient conditions at time of test are available on request.



TECHNICAL REPORT

CONCLUSION

The Gratnells WorQ DesQ School Table – Sizemark 6, as previously described, successfully satisfied the applicable test requirements of BS EN 1729-2: 2012 + A1: 2015 Sizemark 6.

Tested by: S Crisp


Reported by: G Wright

Approved by: L Haines

Section Head - Structural Testing



TECHNICAL REPORT



*****End of Report*****